



Subject: 123456789-132

ScreenTRAK CAPS™

Wednesday, February 14, 2007 - 9:04:55 AM

### General Physical Information

67 years old male

Mass: 199 lb or 90.2 kg

Height: 6' 4" or 1.93 m

Body Mass Index: 24.2

### Visual Acuity Results

Tumbling E Snellen's LogMAR Chart

Left Eye: N/P

Right Eye: N/P

### Balance/Sway Results

Computerized Posturography - Perturbed Surface Eyes Closed

Max Theoretical Sway (Limit of Stability): 9.1" or 231 mm

Max Sway (95% confidence): 3.7" or 95 mm


Stability Score: 59%

Predominant Direction of Sway (0 = ML, 90 = AP): 51 deg

Directionality (0% = random, 100% = along a line): 14%

Fatigue Ratio (0% = no fatigue): 0%

Adaptation Ratio (0% = no adaptation): 4%



Divisions Interval 0.394" or 10.0 mm

Stability Level:	Normal	Mildly Reduced	Moderately Reduced	Severely Reduced	Profoundly Reduced
Normalized Scores for this age:	>= 67%	60 - 66%	50 - 59%	43 - 49%	< 43%

### Notes

Patient has moderately impaired balance/stability. According to independent, peer-reviewed normative studies, the results are abnormal for the patient's age and indicate the presence of a balance-impairing condition (probability of false positive less than 0.5%, i.e., 1 of every 2,000 persons tested). Patients with moderately impaired balance/stability are at an increased risk of falling. Further assessment, including a focused history, physical evaluation, hearing test and visual acuity test are recommended to help determine the underlying cause of the impairment and to decide on the proper clinical pathway for the patient, including reasonably medically necessary interventions to reduce the risk of falls.